Earth Science

Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPU-based Volumetric Ray Casting



Completed Technology Project (2012 - 2015)

Project Introduction


Real-time quantification of volcanic gaseous and particulate releases from analysis of satellite-based Thermal Infrared (TIR) spectral imagery data Real-time visualization of the impact of changes in model parameters on the fit between observed and model radiance spectra.

Graphical Processing Unit (GPU) implementation of MODTRAN's TIR radiance algorithms integrated into an interactive toolkit for retrieving and mapping the 3-D composition of atmospheric plumes using JPL established retrieval algorithms.

Achieve 100 fold run-time reduction of radiative transfer calculations vs. state-of-the-art MAP_SO2 model.

Primary U.S. Work Locations and Key Partners





MODIS-Aqua False Color Image of Mt. Erna Eruption Plume. Spectral variations between (a) proximal, (b) mid-range, and (c) distal regions of the plume are due to changes in plume composition and atmospheric and surface conditions.

Project Image Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPUbased Volumetric Ray Casting

Table of Contents

Project Introduction	1
Primary U.S. Work Locations	
and Key Partners	1
Images	2
Organizational Responsibility	2
Project Management	2
Technology Maturity (TRL)	2
Technology Areas	2
Target Destination	3



Earth Science

Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPU-based Volumetric Ray Casting




Completed Technology Project (2012 - 2015)

Organizations Performing Work	Role	Туре	Location
★NASA Headquarters(HQ)	Lead Organization	NASA Center	Washington, District of Columbia
Ames Research Center(ARC)	Supporting	NASA	Moffett Field,
	Organization	Center	California
Spectral Sciences,	Supporting	Industry	Burlington,
Inc.	Organization		Massachusetts

Primary U.S. Work Locations

Massachusetts


Images



11903-1362065481319.jpg

Project Image Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPU-based Volumetric Ray Casting

(https://techport.nasa.gov/imag e/1662)



11903-1362065736400.jpg

MODIS-Aqua False Color Image of Mt. Etna Eruption Plume.

Spectral variations between (a) proximal, (b) mid-range, and (c) distal regions of the plume are due to changes in plume composition and atmospheric and

atmospheric and surface conditions.

Project Image Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPU-based Volumetric Ray Casting

(https://techport.nasa.gov/image/1664)

Organizational Responsibility

Responsible Mission Directorate:

Science Mission Directorate (SMD)

Lead Center / Facility:

NASA Headquarters (HQ)

Responsible Program:

Earth Science

Project Management


Program Director:

George J Komar

Principal Investigator:

Alexander Berk

Technology Maturity (TRL)



Technology Areas

Primary:

Continued on following page.



Earth Science

Plume Tracer: Interactive Mapping of Atmospheric Plumes via GPU-based Volumetric Ray Casting



Completed Technology Project (2012 - 2015)

Technology Areas (cont.)

- TX10 Autonomous Systems
 TX10.2 Reasoning and Acting
 TX10.2 7 Learning and
 - ☐ TX10.2.7 Learning and Adapting

Target Destination Earth

